

**Minor Emergency and Urgent Care for KIDS of ALL Ages!**

## Tylenol (acetaminophen) Dosage Chart

Give the weight appropriate dosage listed below every 4 hours as needed for a temperature > 101 °F.

**\*\*\*Do not give Tylenol to children under 3 months of age without first consulting a doctor\*\*\***

Weight (Kg)	Weight (lbs)	Drops (80 mg per dropper/0.8 ml)	Elixir (160 mg per teaspoon/5 ml)	Chewable Tablets (80 mg tablets)	Junior Strength (160 mg tablet/capsules)
3	6 -7	40 mg (0.4 ml)			
4	8-9	60 mg (0.6 ml)			
5	10-11	75 mg (0.8 ml)			
6	12-13	90 mg (0.9 ml)			
7	14-16	100 mg (1.0 ml)			
8	17-18	120 mg (1.2 ml)			
9	19-22	135 mg (1.4 ml)			
10-12	22-26	160 mg (1.6 ml)	5 ml (1 tsp)	2 tabs	1 tab/cap
13-14	28-31		6 ml	2 tabs	1 tab/cap
15-16	32-35		7 ml (1 ½ tsp)	3 tabs	1 ½ tabs/caps
17-18	36-39		8 ml	3 tabs	1 ½ tabs/caps
19-20	40-44		9 ml	3 tabs	1 ½ tabs/caps
21-22	45-48		10 ml (2 tsp)	4 tabs	2 tabs/caps
23-24	49-53		11 ml	4 tabs	2 tabs/caps
25-26	54-57		12 ml (2 ½ tsp)	5 tabs	2 ½ tabs/caps
27-28	58-62		13 ml	5 tabs	2 ½ tabs/caps
29-30	63-66		14 ml	5 tabs	2 ½ tabs/caps
31-32	67-71		15 ml (3 tsp)	6 tabs	3 tabs/caps
33-34	72-75		16 ml	6 tabs	3 tabs/caps
35-36	76-80		17 ml (3 ½ tsp)	7 tabs	3 ½ tabs/caps
37-38	81-84		18 ml	7 tabs	3 ½ tabs/caps
39-40	85-88		19 ml	7 tabs	3 ½ tabs/caps
41-42	89-93		20 ml (4 tsp)	8 tabs	4 tabs/caps
43-44	94-99		20 ml (4 tsp)	8 tabs	4 tabs/caps
≥ 45	≥ 100		20 ml (4 tsp)	8 tabs	4 tabs/caps

**When used together, tylenol and motrin may be alternated every 3 hours. Consult a physician before using tylenol if your child has any liver problems.**

**Minor Emergency and Urgent Care for KIDS of ALL Ages!**

## Ibuprofen (Motrin, Advil) Dosage Chart

**Give the weight appropriate dosage listed below every 6 hours as needed for temperature > 101 °F or for pain.**

**\*\*\*Do not give Ibuprofen if child is less than 6 months old\*\*\***

<b>Weight (Kg)</b>	<b>Weight (lbs)</b>	<b>Infant Drops 50 mg/1.25 ml</b>	<b>Children's 100mg/5 ml</b>
4	8-9	40 mg (1.0 ml)	
5	10-11	50 mg (1.25 ml)	
6	12-13	60 mg (1.5 ml)	
7	14-16	70 mg (1.75ml)	
8	17-18	80 mg (2.0 ml)	
9	19-22	90 mg (2.25ml)	
10-11	22-26	100 mg (2.5ml)	5 ml (1 tsp)
12-13	28-31	120 mg (3.0ml )	6 ml
14-15	32-35	140 mg (3.5ml)	7 ml (1 ½ tsp)
16-17	36-39	160 mg (4.0 ml)	8 ml
18-19	40-44		9 ml
20-21	45-48		10 ml (2 tsp)
22-23	49-53		11 ml
24-25	54-57		12 ml (2 ½ tsp)
26-27	58-62		13 ml
28-29	63-66		14 ml
30-31	67-71		15 ml (3 tsp)
32-33	72-75		16 ml
34-35	76-80		17 ml (3 ½ tsp)
36-37	81-84		18 ml
38-39	85-88		19 ml
40-41	89-93		20 ml (4 tsp)
42-43	94-99		20 ml (4 tsp)
≥ 44	≥ 100		20 ml (4 tsp)

**When used together, tylenol and motrin may be alternated every 3 hours. Consult a physician before using motrin if your child has any kidney problems.**